

**AMENDMENTS TO THE CLAIMS**

The listing of claims will replace all prior versions, and listings, of claims in the application.

**Listing of Claims**

1. (Currently Amended) A method for reducing three-dimensional shape data, comprising the steps of:

calculating estimation values for surfaces to be deformed by shrinking edges or surfaces of a polygon model by converging two or more vertices of the polygon model based on distances between the respective deformed surfaces after each deformation resulted from the convergence of the vertices and all of the original vertices before the ~~deformation~~ convergence involved in the surface deformation resulted from the convergence of the vertices,

comparing calculated estimation values with a predetermined permissible value; and

reducing the number of data for the polygon model by shrinking edges or surfaces of the polygon model when the estimation values are equal to or below the predetermined permissible value.

2. (Original) A method according to claim 1, wherein the estimation value is an error  $\epsilon$  defined by Equation (A):

$$\epsilon = \frac{\sum_{i=1}^n (P_i^T \cdot \sum_{j=1}^{m_i} K_{vj} \cdot P_i)}{\sum_{i=1}^n m_i} \quad \dots (A)$$

wherein:

$p_i$  denotes a column vector for an equation of a plane  $P_i$  subject to the deformation;

$P_i^T$  denotes an inverse matrix of  $P_i$ ;

$Kv_j$  denotes an error matrix for a j-th vertex  $v_j$  involved in the deformation of the plane  $p_i$

when an error matrix for data of an original vertex  $v$  involved in the deformation of the plane

$p_i$  is defined by  $K_v = v \cdot v^T$  ( $v$  denotes a column vector for the data);

$m_i$  denotes a sum of error matrix  $Kv_j$  for a vertex  $v_j$  involved in only the deformation of the

i-th plane  $p_i$ ; and

$n$  denotes a sum of planes  $p_i$  to be deformed.

3. (Original) A method according to claim 1, wherein the polygon model includes a number of triangular polygons.

4. (Currently Amended) A method for reducing three-dimensional shape data, comprising the steps of:

calculating respective estimation values based on a predetermined estimation method for a plurality of portions of a polygon model that are to be deformed by converging two or more vertices of the polygon model; and

reducing the number of data for the polygon model by converging two or more vertices of one portion of the polygon model based on the calculated estimation values after another portion, repeatedly,

wherein before each data reduction, the portion that the estimation value thereof is necessary to be recalculated for the predetermined estimation method as a result of the previous data reduction by the convergence of the vertices ~~reductions~~ is defined as a reduction prohibition area, and a succeeding data reduction by the convergence of the vertices is applied to a portion other than the reduction prohibition area.

5. (Original) A method according to claim 4, wherein the reduction prohibition area is released if a predetermined condition is satisfied.

6. (Original) A method according to claim 5, where the predetermined condition is a state that there is no portion to be deformed by converging two or more vertices.

7. (Original) A method according to claim 5, wherein the predetermined condition is a state that a predetermined number of data reductions are completed.

8. (Currently Amended) An apparatus for reducing three-dimensional data, comprising:  
an estimation value calculator which calculates estimation values for surfaces to be deformed by shrinking edges or surfaces of a polygon model by converging two or more vertices of the polygon model based on distances between the respective deformed surfaces after each deformation resulted from the convergence of the vertices and all of the original vertices before the ~~deformation~~ convergence involved in the surface deformation resulted from the convergence of the vertices;

a comparator which compares calculated estimation values with a predetermined permissible value; and

a data reducing device which reduces the number of data for the polygon model by shrinking edges or surfaces of the polygon model when the estimation values are equal to or below the predetermined permissible value.

9. (Original) An apparatus according to claim 8, wherein the estimation value is an error  $\epsilon$  defined by Equation (A):

$$\epsilon = \frac{\sum_{i=1}^n (P_i^T \cdot \sum_{j=1}^{m_i} K_{vj} \cdot P_i)}{\sum_{i=1}^n m_i} \quad \dots (A)$$

wherein:

$p_i$  denotes a column vector for an equation of a plane  $p_i$  subject to the deformation;

$P_i^T$  denotes an inverse matrix of  $p_i$ ;

$K_{v_j}$  denotes an error matrix for a j-th vertex  $v_j$  involved in the deformation of the plane  $p_i$  when an error matrix for data of an original vertex  $v$  involved in the deformation of the plane  $p_i$  is defined by  $K_v = v \cdot v^T$  ( $v$  denotes a column vector for the data);

$m_i$  denotes a sum of error matrix  $K_{v_j}$  for a vertex  $v_j$  involved in only the deformation of the i-th plane  $p_i$ ; and

$n$  denotes a sum of planes  $p_i$  to be deformed.

10. (Original) An apparatus according to claim 9, wherein the estimation value calculator calculates an error matrix  $K_v$  for each of all the vertices  $v$  constituting an original polygon model; and when two or more vertices  $v_p$  ( $p = 1, 2, \dots$ ) are converged into one vertex  $v_q$ , the estimation value calculator calculates an error  $\epsilon$  in accordance with the above-defined Equation (A) by using a sum of error matrix  $K_{v_p}$  for each converged vertex  $v_p$  as an error matrix  $K_{v_q}$  for the vertex  $v_q$ .

11. (Original) An apparatus according to claim 10, wherein the estimation value calculator includes a memory which stores only diagonal elements and elements above them for the error matrix calculated for the original vertex  $v_i$ , and the estimation value calculator restores the error matrix using the diagonal elements and elements above them stored in the memory, and calculates an error  $\epsilon$  in accordance with the above-defined Equation (A) by using the restored error matrix.

12. (Original) An apparatus according to claim 9, wherein the estimation value calculator calculates  $\sum_{i=1}^n m_i$  of the above-defined Equation (A) by adding an element at the right bottom corner of error matrix  $\sum kv_j$  ( $j = 1, 2, \dots m_i$ ) for each plane  $p_i$  when the column vector  $V$  for data of the original vertex is defined by Equation (B):

$$v = \begin{bmatrix} v_x \\ v_y \\ v_z \\ 1 \end{bmatrix} \dots (B).$$

13. (Original) An apparatus according to claim 9, wherein the estimation value calculator calculates an error  $\epsilon$  in accordance with the above-defined Equation (A) by using a weighted error matrix  $w_j \cdot kv_j$  for the vertex  $v_j$  in place of  $Kv_j$ .

14. (Original) An apparatus according to claim 8, wherein the polygon model includes a number of triangular polygons.

15. (Currently Amended) An apparatus for reducing three-dimension shape data, comprising:

an estimation value calculator which calculates respective estimation values based on a predetermined estimation method for a plurality of portions of a polygon model that are to be deformed by converging two or more vertices of the polygon model;

a judging device which judges based on a calculated estimated value whether a portion of the polygon model is permissible for the deformation;

a data reducing device which reduces the number of data of the polygon model by converging two or more vertices of one allowed portion based on calculated estimation values after another allowed portion; and

a prohibition area defining device which defines a portion that the estimation value thereof is necessary to be recalculated for the predetermined estimation method as a result of the previous data reduction by the convergence of the vertices ~~reductions~~ executed by the data reducing device by the convergence of the vertices as a prohibition area to keep a succeeding data reduction from being applied.

16. (Original) An apparatus according to claim 15, wherein the prohibition area defining device changes the estimation value for an involved portion to a predetermined value to render the involved portion impermissible by the judging device.

17. (Original) An apparatus according to claim 15, further comprising a prohibition releasing device which releases the prohibition area according to a predetermined condition.

18. (Original) An apparatus according to claim 17, where the predetermined condition is a state that there is no portion to be deformed by converging two or more vertices.

19. (Original) An apparatus according to claim 17, wherein the predetermined condition is a state that a predetermined number of data reductions are completed.

20. (Original) An apparatus according to claim 15, wherein the judging device includes:  
a minimum estimation value calculator which calculates a minimum estimation value;  
a comparator which compares the minimum estimation value with a permissible value; and  
a determiner which determines a portion having the minimum estimation value as a portion to be converged when the minimum estimation value is equal or below the permissible value.

21. (Original) An apparatus according to claim 15, wherein the portion to be converged is an edge of a triangular polygon.

22. (Original) An apparatus according to claim 15, wherein the portion to be converged is a surface of a triangular polygon.